


1. All ResinDek panels have been certified to contain a minimum of 46% Post-Industrial Recycled Content (dry weight basis).
2. All ResinDek panels can contribute towards LEED<sup>®</sup> 2009 v3 Certification Credits, with points available for MR Credit 4 and MR Credit 5 where projects are located within a 500 mile radius of Louisville, KY.
3. ResinDek **NAF** panels are certified to be urea formaldehyde free and have been lab tested to less than 0.05 ppm.
4. ResinDek **NAF** panels can contribute towards LEED<sup>®</sup> 2009 v3 Certification Credit IEQ 4.4 in addition to MR Credit 4. MR Credit 5 is also available for projects located within a 500 mile radius of Louisville, KY.
5. Certificates of Achievement have been obtained from Scientific Certification Systems (SCS), an independent certification and standards development company for environmental and sustainability claims.
6. Please contact Cornerstone Specialty Wood Products, LLC for Achievement Certificates and further details.



### All ResinDek Products



### ResinDek NAF

All credits/points are subject to interpretation/ruling by USGBC review team. The technical information provided on these pages is correct to the best of our knowledge. For further information and updates about LEED Rating System, please contact the U.S. Green Building Council at [www.usgbc.org](http://www.usgbc.org).



10179 Wayne Avenue  
Cincinnati, OH 45215  
Toll Free: 888.755.3048  
Tel: 513.772.5560  
Fax: 513.772.5561  
[www.resindek.com](http://www.resindek.com)

The U.S. Green Building Council (USGBC) has developed the construction industry's most widely accepted green building certification program. LEED<sup>®</sup> is a voluntary building certification program that defines high-performance green buildings, which are more environmentally responsible, healthier, and more profitable structures. LEED was created to establish a common standard of measurement for what constitutes a "green" building. LEED serves as a design guideline for green building and offers third party validation of a building's green features.

All ResinDek<sup>®</sup> panels can contribute towards LEED 2009 Credit MR 4, and potentially MR 5, depending on the project's location.

In addition, ResinDek<sup>®</sup> **NAF** panels can contribute towards LEED 2009 Credit IEQ 4.4, as well as MR 4, and potentially MR 5. All ResinDek panels may also help qualify


for Performance-Innovation in Design Credits. Please see Cornerstone Specialty Wood Products, ResinDek LEED 2009 NC v3, and EB v3 Credit & Point Information Table/Matrix Page for further details.

ResinDek<sup>®</sup> can be used in conjunction with any of the LEED rating systems. However, the above mentioned table/matrix indicates how resindek panels contribute to compliance with the LEED 2009 NC v3, and EB v3 rating systems.

All ResinDek panels have been certified to contain a minimum of 46% Post-Industrial Recycled Content (dry weight basis). ResinDek **NAF** panels are also certified to be urea-formaldehyde free. Both certifications are from Scientific Certification Systems (SCS), an independent certification and standards development company for environmental and sustainability claims.



**All ResinDek Products**



**ResinDek NAF**



[www.resindek.com](http://www.resindek.com)

**ResinDek<sup>®</sup> Mezzanine Floor Panels**



Product Name	Live Dead Pallet Jack Limits	Thickness	Finishes Available		
			Unfinished	GDS, CDS	ESD
ResinDek <sup>®</sup> XLD <sub>50</sub>	up to 1,250 lbs	1/2"	■	■	■
ResinDek <sup>®</sup> LD <sub>50</sub>	up to 2,000 lbs	1/2"	■	■	■
ResinDek <sup>®</sup> LD	up to 2,000 lbs.	3/4"	■	■	■
ResinDek <sup>®</sup> MD	up to 3,000 lbs.	3/4"	n/a	■	■
ResinDek <sup>®</sup> HD	up to 4,500 lbs.	3/4"	n/a	■	■
ResinDek <sup>®</sup> MAX	Up to 8,000 bs.	1-1/2"	n/a	■	■
ResinDek <sup>®</sup> Xspan <sup>®</sup>	Up to 3,000 lbs - No Corrugated	1-1/8"	n/a	■	■

**Finishes Available**

- Gray Diamond Seal<sup>®</sup>
- Clear Diamond Seal<sup>®</sup>
- ESD Certified Static Control

**Options**

- Invisi-Loc<sup>®</sup> fasteners
- T & G Configurations
- No Added Formaldehyde **NAF**

*All ResinDek Products can contribute towards earning points for LEED<sup>®</sup> qualified buildings.*

All credits/points are subject to interpretation/ruling by USGBC review team. The technical information provided on these pages is correct to the best of our knowledge. For further information and updates about LEED Rating System, please contact the U.S. Green Building Council at [www.usgbc.org](http://www.usgbc.org).

# ResinDek® LEED® 2009 NC v3, and EB v3 Credit & Point Information

LEED® Category	Requirements	Possible Points	ResinDek Solutions	Green Intent	New Const	Exist. Bldg.
Materials & Resources MR Credit 4 & Exemplary Performance – Innovation in Design	Use materials with recycled content such that the sum constitutes min. of <b>10%</b> <b>20%</b> <b>40%</b> required for Exemplary Performance-Innovation in Design (post-consumer + ½ pre-consumer) of the total value of materials used in the project.	1 point 1 point 1 point	All ResinDek panels are composed of at least 46% Post-Industrial recycled content	Increase demand for bldg products that incorporate recycled content materials, reducing impact from extraction and processing virgin materials	■	
Materials & Resources MR Credit 5 & Exemplary Performance – Innovation in Design	Use products manufactured within a 500-mile radius of the project site on a min. of <b>10%</b> <b>20%</b> <b>40%</b> of the total materials value of the project for the Exemplary Performance.	1 point 1 point 1 point	All ResinDek panels are manufactured in Louisville, KY and may contribute points based on proximity of the project	Increase demand for bldg materials that are manufactured within the region, reducing environmental impacts from transportation	■	
IEQ Credit 4.4: Low-Emitting Materials - Composite Wood & Agrifiber Products	Composite Wood Products shall contain no added urea- formaldehyde resins	1 point	ResinDek <b>NAF</b> is made without formaldehyde containing additives	Reduce the quantity of indoor air contaminants that are odorous, irritating, and/or harmful to the comfort and well-being of installers and occupants	■	
MR Credit 3 - Sustainable Purchasing - Facility Alterations & Additions	1. Purchases contain at least 10% post-consumer &/or 20% post-industrial material.  2. Composite panels contain no added urea-formaldehyde resins.	1 point	All ResinDek panels are composed of at least 46% post-industrial recycled contents.  ResinDek <b>NAF</b> is made without formaldehyde containing additives	Reduce environmental, air quality impacts of materials acquired for upgrade of existing buildings.		■

All credits/points are subject to interpretation/ruling by USGBC review team.  
The technical information provided on these pages is correct to the best of our knowledge.  
For further information and updates about the LEED Rating System, please contact the U.S. Green Building Council at [www.usgbc.org](http://www.usgbc.org)



10179 Wayne Avenue  
Cincinnati, OH 45215  
Toll Free: 888.755.3048  
Tel: 513.772.5560  
Fax: 513.772.5561  
[www.resindek.com](http://www.resindek.com)



Cornerstone Specialty Wood Products is a member of the U.S. Green Building Council



Pre-consumer  
SCS-CERTIFIED  
Minimum 46%  
Recycled Content  
SCIENTIFIC CERTIFICATION SYSTEMS  
SCS-MC-01511

All ResinDek Products



SCS-CERTIFIED  
NO ADDED  
FORMALDEHYDE  
SCIENTIFIC CERTIFICATION SYSTEMS  
SCS-NAF-01513

ResinDek NAF



Pre-consumer  
SCS-CERTIFIED  
Minimum 46%  
Recycled Content  
SCIENTIFIC CERTIFICATION SYSTEMS  
SCS-MC-01511